

CERTIFICATE OF ANALYSIS					
PRODUCT: COLLAGEN BIO- BOOST / SIMPLESA					
Manufacturing Date: 10/18 Code #: SS13			Lot #: 1161018A Expiration Date: 10/2021		
TEST	SPECIFICATIONS	METHOD	RESULTS		
Description					
Color Powder	White	Visual	Conforms		
Serving Size	1 scoop (8000mg)	As per label	Conforms		
Serving per container	30	As per label	Conforms		
Ingredients	Label Claim	Result	Method	% Label Claim	
VITAMIN A (RETINYL PALMITATE)	2500.0	IU	*	*	
VITAMIN C (L-ASCORBIC ACID)	60.0	mg	*	*	
VITAMIN D3 (CHOLECALCIFEROL)	400.0	IU	*	*	
VITAMIN E (DI ALPHA TOCOPHERYL ACETATE)	15.0	IU	*	*	
VITAMIN B3 (NIACINAMIDE)	20.0	mg	*	*	
VITAMIN B5 (D-CALCIUM PANTOTHENATE)	15.0	mg	*	*	
BIOTIN	2500.0	mcg	*	*	
SELENIUM (SODIUM SELENITE)	35.0	mcg	*	*	
SILICON (SILICON DIOXIDE)	10.0	mg	*	*	
CHOLINE BITARTRATE	20.0	mg	*	*	
INOSITOL	20.0	mg	*	*	
HYDROLYZED COLLAGEN TYPE I AND III	6700.0	mg	7029.43	STM-123	104.9
Microbiology:					
Total plate count	<10000 cfu/g	USP/NF Current	<10000 cfu/g		
E Coli	Negative 10 g	USP/NF Current	Negative		
Yeast and Mold	<1000 cfu/g	USP/NF Current	<1000 cfu/g		
Salmonella	Negative 25g	USP/NF Current	Negative		
Excipients : CITRIC ACID, NATURAL FLAVOR, STEVIA EXTRACT					
* By Input					
Prepared by: <u>YU 11/21/2018</u> Q. C Department Aproval By: <u>[Signature] 11/21/2018</u> Q.A Department					